## (TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY (PART-I (SECTION-1)

Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Foreign Trade

Public Notice No. 36/2025-26

New Delhi, Dated | December 2025

Subject: Revised SIONs for the Chemical and Allied Products.

In exercise of the powers conferred under paragraph 1.03 and 2.04 of the Foreign Trade Policy-2023, as amended from time to time, the Director General of Foreign Trade hereby revises specific SIONs for Chemical and Allied Products and Serial No.- 8 of General Note for All Export Product Group as under:

 Revision of SIONs: - SIONs No K18, K34, K58, K65, K117, A1569, A1576, A1579, A1766, A1806, A3696-New Entry, A3697-New Entry, are revised as per **Annexure** 'A' to this PN.

Revision of General Note for All Export Product Group: - Serial No- 8 is revised as per Annexure 'B' to this PN.

Effect of the Public Notice: Standard Input Output Norms (SIONs) for Chemical & Allied Products and General Note for All Export Product Groups stands amended with immediate effect.

(Ajay Bhadoo)
Director General of Foreign Trade
Ex-officio Addl. Secretary to the Government of India
e-mail: dgft@nic.in

(Issued from File No. 01/83/0003/202526/NC-4/SION)

## **Revised SION for Chemical and Allied Products**

## (K18, K34, K58, K65, K117, A1569, A1576, A1579, A1766, A1806, A3696-New Entry, A3697-New Entry)

K18	Coated Pap Size)	er B	Boar	d (Cut	1 kg		Base releva (In Ju	nt GS			kg/kg content in the ort product.
K34	Glass Fibr	o Fa	brio	1 kg	1	Gla	ass Fil	ore Y	arn or Roving	1.0	0364 kg
104	Glass I Ibi	CTA		, I kg	2		ly Viny			_	001 kg
	Playing Cards Plastic	1 Kg		Board	(GSN nt GS	1 135	5-350)	, only	other than ivory the relevant ite xport shall be al	m of	1.10 kg/kg content in export product
	Coated	2 (4			tonic f	luid	n Coatir	ngs			Up to 6% by weight of cardboard Up to 2% by weight of cardboard Up to 8% by weight of cardboard
			3	Printin	ng Ink hic Art Film/ P.S. Offset Plates / Offset per Blankets / Stamping Foil						Upto 2% by weight of cardboard.
			4								Upto 3% of the FOB value
K65	Boxes/Cartons made out of Paper Board/ Metalised Polyester Laminated Board/Corrugated cardboard/Laminated					1	Liner Coate Board	/ Line ed/ A d / Me nated	er/ Paper Board/ er Board/White B rt Board coated/ etalished Polyes d Board of releva	loard Paper ter	1.05 kg/kg content in the export product
	Board/Kraft Paper- Printed or Unprinted, Laminated or Unlaminated coated or uncoated varnished or unvarnished					2			Perchment Pap	er	1.05 Kg/Kg content in the export product.
						3			Film of relevant (if laminated)		1.05 kg/kg lamination of polyester film
						4	(Alur	niniur evan	Liner Material m Foil/ L.W.C.) F t GSM		1.05 Kg/Kg content in the export product
						5			HDPE/LDPE/LLI (if Plastic Coate		1.05 kg/kg content in the export product
		1		6			Paper Grade)		1.014 kg		
				7			nk (if printed)	1% of the FOB value of the export			
K11	7 Mechanic of Chrom	cal G	Slaz	ed Pap sein/ P	oster	ade	1 kg	1	Paper of Relevence		1.04 kg/kg content in the export product.
	Paper							2	LDPE		1.02 kg/kg content in the export product.

A1569	Single/ Multi Colour	1 kg	1		Printing Paper Coated/ Uncoated of the range of 50-150 GSM	
	Printed Books with/ without Soft/ Hard, PVC/ BOPP Laminated Jacket Cover			a)	If Multi-coloured	1.12 kg/kg content in the export product.
		C/BOPP Paper Boa Paper Boa Uncoated		b)	If Single Coloured	1.10 kg/kg content in the export product.
					Paper Board/ Cardboard Coated/ Uncoated	1.10 kg/kg content in the export product.
					Relevant Printing Ink	10 gms (value limited to 2% of FOB value of export)
		4	4		Graphic Art Film/ Lithographic Film Plate/ Stamping Foils	Limited to 3% of FOB value of export.
			5		Binding Material: -	
				a)	Gum / Glue	1 kg for 100 kgs of paper used
				b)	Binding Cloth / PVC Coated Binding Paper / PVC Leather Cloth	1.05 kg/kg content in export product
			6		PVC Sheets/ BOPP Film (to be allowed only when the export product is with PVC/ BOPP Jacket/ Lamination)	1.05 kg/kg content in export product.
			7		Binding Board of the relevant GSM	1.05 kg/kg content in export product.

Note: 1. The exporters can declare the actual quantity of coated and uncoated paper used in the export product in the shipping bills or in the GST invoice and accordingly claim import entitlements as per the SION.

Note: 2. In the case of assorted and mixed consignments where both coated and uncoated paper have been used in the exported product, exporter shall declare the consignment as mixed/assorted consignment having used both coated and uncoated paper and can claim entitlements for coated paper not exceeding 50% of their total import quantity entitlements as per the SION without maintaining any separate accountability. The rest they can import uncoated paper.

A1576 Postal/ Non-Postal Stationeries such as various type and size of Plain/Printed	1 kg	1	Writing/ Printing Paper	1.04 kg
Envelopes, Window/Airmail Envelopes/ Canvas Coated Products		2	Glue for paper	1.01 kg

A1579	Ruled/ Un-ruled/ Printed with Soft/ Hard Cover with or without PVC/ BOPP jacket/ Laminated Stationery items like Exercise Book/ Diary/	1 kg	1	Writing/Printing paper of GSM (50- 150)	1.07 kg/kg content in the export product.	
	Notebook/ Register/ Writing Pad/ Drawing Book/ Ruled paper sheets cut to various sizes		2	Relevant Printing Ink	10 gm	
			3	Graphic Art Film/ Lithographic Film Plate	Upto 2% of the FOB value of the export.	
			4	Binding material:		
				Gum / Glue	1 kg per 100 kg of paper used.	

			PVC Leather- backed/ unbacked/ Metal wire coated/ uncoated	1.05 kg/ kg content in the export product.
		5	PVC/ BOPP Film (to be allowed only when the export product is with PVC/ BOPP jacket/ Lamination)	1.05 kg/kg content in the export product.
		6	Paper Board of the relevant GSM	1.05 kg/kg content in the export product.
		7	Plasticiser Paper of relevant GSM	1.05 kg/kg content in the export product.
Perfumed Agarbatti of F sizes (8" or 9")	Keleval	nt 1 No		w Agarbatti of Relevant 1.
06 Industrial/Automotive Lubricants	1 kg	(Indu	ustrial grade)	1.01 kg/kg content in the export product
	1 kg	(Indu	Oil Additives	
Lubricants	Kg	2 Lube (of R	Oil Additives elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON AUSTIC SODA FLAKES	1.01kg/kg content in the export product  1.415 kg 3- 1.491 kg 8- 1.317 kg.
Lubricants  96 PIGMENT YELLOW 1 PGR (PIGMENT	Kg	2 Lube (of R	Oil Additives elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON	1.01kg/kg content in the export product  1.415 kg 1.491 kg
Lubricants  96 PIGMENT YELLOW PGR (PIGMENT YELLOW 191)  97 Self-Adhesive Paper (160 GSM +/- 10%)	Kg	Chock   Choc	Oil Additives (elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON AUSTIC SODA FLAKES DDIUMNITRITE  RMAL PAPER-VARIOU DES-70GSM +/- 10% -	1.01kg/kg content in the export product  1.415 kg 1.491 kg IE 1.317 kg. 1.136 kg.
Lubricants  96 PIGMENT YELLOW PGR (PIGMENT YELLOW 191)  97 Self-Adhesive Paper	Kg	Control   Cont	Oil Additives (elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON AUSTIC SODA FLAKES DDIUMNITRITE  RMAL PAPER-VARIOU DES-70GSM +/- 10% - EASE BASE PAPER SSINE 60 GSM +/- 10%	1.01kg/kg content in the export product  1.415 kg 3- 1.491 kg WE 5 1.317 kg. 1.136 kg.  1.04 Sq. Mt /Sqmt of export item
Lubricants  96 PIGMENT YELLOW PGR (PIGMENT YELLOW 191)  97 Self-Adhesive Paper (160 GSM +/- 10%) Using Thermal paper of	Kg	Control   Cont	Oil Additives (elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON AUSTIC SODA FLAKES DDIUMNITRITE  RMAL PAPER-VARIOU DES-70GSM +/- 10% - EASE BASE PAPER	1.01kg/kg content in the export product  1.415 kg 3-1.491 kg 3-1.317 kg. 1.136 kg.  S 1.04 Sq. Mt /Sqmt of export item  1.04 Sq. Mt /Sqmt of
Lubricants  96 PIGMENT YELLOW PGR (PIGMENT YELLOW 191)  97 Self-Adhesive Paper (160 GSM +/- 10%) Using Thermal paper of	Kg	1 2 E 2 3-4 ME 3 CA 4 SC VARI 3 Hydro 4 Therr	Oil Additives (elevant Grade)  B ACID SULPHO 1 - PHENYL 3 ETHYL 5- PYRAZOLON AUSTIC SODA FLAKES DDIUMNITRITE  RMAL PAPER-VARIOU DES-70GSM +/- 10% - EASE BASE PAPER SSINE 60 GSM +/- 10% OUSE COLOURS	1.01kg/kg content in the export product  1.415 kg 3-1.491 kg 8-1.317 kg. 1.136 kg.  S 1.04 Sq. Mt /Sqmt of export item 1.04 Sq. Mt /Sqmt of export item 1.01224 kg /Sqmt of export item 1.00624 kg /Sqmt of export item

## GENERAL NOTES FOR ALL EXPORT PRODUCTS GROUPS

The norms have been published in this book with a view to facilitate determination of the proportion of various inputs which can be used or are required in the manufacture of different resultant products. In many cases, the resultant products and the inputs required have been described in generic terms. The applicants shall, therefore, ensure that the goods sought for import and actually imported are those, which are used/ required in the export product. The items allowed for import in the license shall be co-related with the description of the export product in the Shipping bill by the exporter to be authenticated by Customs. For example, if the input allowed in the norms is 'relevant fabrics', only the specific types of fabric i.e. polyester or nylon etc. used in the export product shall be allowed. Similarly, if the norms provide for import of BOPP film against export of self-adhesive tape, only BOPP film required for manufacture of Self-Adhesive Tape will be allowed and not those, which are required as packing material.

1. Wherever a specific norm has been provided, the same will prevail over the generic norm laid down, if any. If the application is based on the generic norm, specific reason for applying under the generic norm should be clearly stated.

2. In some norms, two or more alternative inputs have been permitted for import for the manufacture of a specific resultant product. In such cases, the applicant shall be required to opt for only one alternative and the advance license/ duty free replenishment certificate shall be issued accordingly. In case, more than one alternative input is required, the same could be allowed based on the specific declaration from the applicant about their requirement in the resultant product, at the time of filing application and the license will be issued indicating the specific quantity of each input.

3. All the inputs allowed for import under advance license/ duty free replenishment certificate are required to be indicated in terms of quantity. Where an input has been permitted in the norms or specifically allowed for import by the ALC in terms of value as a limiting factor only, such items shall be indicated in the license in terms of value only. However, if quantity and value of inputs is a limiting factor, the same shall be applicable.

4. In case of norms wherein the inputs have been allowed based on a percentage content of inputs in the export product with some wastage or on net to net basis or on net plus wastage basis, the exporter shall account for the quantity(s) allowed for import minus the wastage permitted, if any, in the product exported. In such cases, the net quantity shall be reflected in the export product description by the Licensing Authority and also in the Shipping Bill by the exporter duly endorsed by the Customs Authorities.

5. Unless specified, otherwise, the import of components wherever allowed shall be permitted on net to net basis, i.e., without any wastage, with accountability clause and the type, technical specifications (including part No. if any), etc., of the components sought for import should conform to those utilized in the manufacture of the resultant product, which should be reflected in export documents (Shipping Bills) also. A condition to this effect shall be imposed on the license.

6. An applicant need not apply for all the inputs indicated in the norms for the grant of advance license/ duty free replenishment certificate provided all other conditions for grant of license in the Foreign Trade Policy and the Handbook of Procedure are fulfilled. For advance license, the applicant shall indicate the source of procurement of the remaining inputs, that is, whether they are indigenous or imported, in the application.

In respect of the following inputs, advance license/ duty free replenishment certificate requiring any of these items will be issued subject to the imports being restricted upto a maximum value limit indicated against each input. However, where quantity is also indicated for these inputs in the norms, the imports shall be restricted both in terms of quantity and value as limiting factor:

1.	Perfumery compounds/ chemicals/ Natural essential oils/ Resinods/ Aromatic chemicals	Item wise value limits as indicated in the relevant norms.				
2.	Rubber Chemicals*	Upto 7% of FOB value of exports. However, in case of Break Diaphragms for Automobiles - upto 5% of FOB value of export.				
3.	Misc. Chemicals*	Upto 5% of FOB value of exports, except for the following: - Break Diaphragms for Automobiles, Bicycle Tyres, Transmission Rubber Belting, Rubber pads, Rubber Polished Brakes and Synthetic Rubber Sheets - upto 2% of FOB value of exports.				
ma		applies exclusively to products and articles and/or synthetic rubber as their principal raw				
4.	Spin Finish Oil (Including Surface Active Agent which are used as a finish oil in the manufacture of Polyester)	Upto 5% of FOB value of exports.				
5.	Dyes	Item wise limit as indicated in the relevant norms.				

- 9. In respect of certain norms, the validity of the same is for a limited period. For regularization/ re-fixation of the same, the exporters shall file application in the prescribed format with all the requisite details, including production and consumption data at least sixty days in advance of expiry of such validity. Unless the validity period is extended, no license will be issued based on these norms. However, the applicant shall be entitled for licenses on self-declaration basis.
- 10. In case where the input(s) required for the manufacture of the resultant product prescribes alternative items, license can be issued for export of the said input(s) allowing the alternative items as inputs i.e. import items in the same ratio as prescribed in the said input(s).
- 11. For distinguishing tile from slab in the SIONs for export products of Marble/Granite/ Serpentine, wherever applicable, the following parameters for classifying the product as "Tile" or "Slab" may be adopted: -

Product in regular Geometrical shape		Thickness
i) Tile		Upto 12 mm
ii) Slab	-	More than 12 mm